CV AND METABOLIC EFFECTS OF AIR POLLUTION

Prepared by **Dr. Sidhartha Mullapudi**, DrNB (Cardiology), MD (General Medicine)
Last reviewed: October 2026

I PATHOPHYSIOLOGICAL MECHANISMS (THE TOXIC TRIAD)

- **Particle Size Classification:** Ambient particulate matter (PM) is classified by aerodynamic diameter into coarse particles (PM10: 2.5 to 10 micrometers), fine particles (PM2.5: less than 2.5 micrometers), and ultrafine particles (PM0.1: less than 0.1 micrometers / 100 nanometers). Fine and ultrafine particles derived from fossil fuel combustion, vehicular exhaust, and biomass burning represent the principal drivers of cardiovascular toxicity.
- **Systemic Inflammation and Oxidative Stress (Spillover Pathway):** Inhaled PM2.5 reaches the terminal alveoli, activating alveolar macrophages and respiratory epithelial cells via Toll-like receptors (TLR2/TLR4) and NADPH oxidase to generate Reactive Oxygen Species (ROS). Pro-inflammatory mediators (IL-6, IL-1beta, TNF-alpha, hs-CRP, and oxidized phospholipids) spill over into the systemic circulation, uncoupling endothelial Nitric Oxide Synthase (eNOS), reducing Nitric Oxide (NO) bioavailability, and inducing systemic endothelial dysfunction and vascular inflammation.
- **Autonomic Nervous System Imbalance (Neural Reflex Pathway):** Inhaled particles and gaseous co-pollutants (NO2, SO2, ozone) stimulate pulmonary vagal C-fibers and Transient Receptor Potential (TRPA1 / TRPV1) channels in the bronchial tree. This triggers central sympathetic nervous system activation and parasympathetic withdrawal, manifesting as reduced Heart Rate Variability (HRV), elevated resting heart rate, and acute systemic vasoconstriction.
- **Direct Translocation (Prothrombotic Pathway):** Ultrafine particles (PM0.1) and soluble metallic/organic constituents translocate directly across the alveolar-capillary membrane into the systemic bloodstream, where they directly activate platelets, increase circulating fibrinogen, tissue factor, von Willebrand factor, and soluble CD40 ligand (sCD40L), and impair endogenous fibrinolysis (suppressing tPA and elevating PAI-1).

II CLINICAL PRESENTATION AND FEATURES (ACUTE VS. CHRONIC)

A Acute Exposure Phenotype (Short-Term High AQI / Smog / Wildfire Spikes)

- **Ischemic Presentations:** Abrupt onset of unstable angina, STEMI, or NSTEMI occurring within 1 to 24 hours of peak ambient PM2.5 or traffic exposure. Every 10 microgram/m3 short-term increase in PM2.5 increases acute cardiovascular mortality and MI risk by approximately 0.5 to 2.5 percent.
- **Acute Heart Failure Decompensation:** Acute elevations in systemic afterload, pulmonary vascular resistance, and plasma viscosity precipitate acute decompensated heart failure (ADHF) and flash pulmonary edema in patients with underlying HFrEF or HFpEF.
- **Arrhythmogenic Triggers:** Acute autonomic shifts and myocardial repolarization dispersion trigger paroxysmal Atrial Fibrillation, ventricular ectopy, and appropriate ICD shocks (VT/VF) in patients with structural heart disease.
- **Hemodynamic Surges:** Acute sympathetic outflow and impaired arterial baroreceptor sensitivity trigger hypertensive urgency or emergency.

B Chronic Exposure Phenotype (Long-Term Cumulative Exposure)

- **Accelerated Atherosclerosis:** Every 10 microgram/m3 increase in chronic annual mean PM2.5 exposure increases long-term cardiovascular mortality by approximately 10 to 20 percent, accelerating coronary artery disease, ischemic stroke, and peripheral arterial disease.
- **Metabolic Dysregulation:** Insidious development of visceral adiposity, hepatic steatosis, incident Type 2 Diabetes Mellitus, and atherogenic dyslipidemia.
- **Renal and CKM Progression:** Accelerated decline in estimated GFR (eGFR), incident chronic kidney disease, and worsening albuminuria.
- **Cerebrovascular Events:** Increased incidence of ischemic stroke and transient ischemic attacks driven by carotid atherosclerosis and pollution-triggered atrial fibrillation.

III CARDIOVASCULAR CONSEQUENCES

- **Acute Coronary Syndromes (ACS):** Short-term PM2.5 spikes promote matrix metalloproteinase activation inside thin-cap fibroatheromas, triggering acute plaque rupture or erosion superimposed on a hypercoagulable state.
- **Arrhythmogenesis:** Sympathetic surges, altered intracellular calcium handling, and QTc prolongation increase the incidence of new-onset Atrial Fibrillation and ventricular tachyarrhythmias.
- **Hypertension and Heart Failure Remodeling:** Chronic PM2.5 exposure induces arterial stiffness, chronic hypertension, Left Ventricular Hypertrophy (LVH), and myocardial perivascular fibrosis, driving both HFrEF and HFpEF progression.

IV METABOLIC CONSEQUENCES (THE POLLUTION-METABOLIC AXIS)

- **Insulin Resistance and Incident Type 2 Diabetes:** Chronic PM2.5 exposure induces hypothalamic inflammation, endoplasmic reticulum stress, and adipose tissue macrophage infiltration, impairing IRS-1 / PI3K / Akt insulin signaling in skeletal muscle and liver and establishing PM2.5 as an independent risk factor for Type 2 Diabetes Mellitus.
- **Adipose Dysfunction and Metabolic Syndrome:** Oxidative stress promotes brown-to-white adipose tissue transition (shown in experimental models), visceral adiposity, hypertriglyceridemia, and dysfunctional HDL particles.
- **Cardiovascular-Kidney-Metabolic (CKM) Syndrome:** Multi-pollutant exposure (PM2.5, NO2, black carbon) accelerates all stages of the AHA CKM Syndrome, linking metabolic inflammation, microvascular renal injury, and accelerated atherosclerosis.

Exposure Horizon	Primary Pathophysiological Drivers	Major Clinical & Metabolic Endpoints
Acute (Hours to Days)	Autonomic imbalance (TRPA1/vagal reflex); platelet activation; acute vasoconstriction	STEMI/NSTEMI (1–24 h lag), ADHF hospitalization, AFib / VT / ICD shocks, hypertensive crisis, ischemic stroke
Chronic (Months to Years)	Systemic cytokine spillover (IL-6, TNF-alpha); eNOS uncoupling; PI3K/Akt insulin resistance; epigenetic changes	Accelerated CAC progression, chronic HTN, LVH, incident T2DM, CKD progression, CV mortality (+10–20% per 10 ug/m3)

V EVIDENCE, GUIDELINES AND THE INDIAN CONTEXT

- **MESA Air Study (Lancet 2016):** Demonstrated that long-term exposure to ambient PM2.5 and traffic-related air pollution significantly accelerates Coronary Artery Calcium (CAC) progression (by 4.1 Agatston units per year per 5 microgram/m3 PM2.5 increase); carotid intima-media thickness progression was not significantly associated in this analysis.
- **WHO 2021 Air Quality Guidelines & ESC/AHA Statements:** The 2021 WHO Guidelines lowered the recommended annual mean PM2.5 threshold to 5 microgram/m3 (24-hour mean 15 microgram/m3). The 2010 AHA Scientific Statement concluded that PM2.5 exposure is causally linked to cardiovascular morbidity and mortality, and the 2021 ESC Prevention Guidelines recognize air pollution as a modifiable cardiovascular risk factor.
- **The Indian Exposure Burden:** Populations in the Indo-Gangetic plain and urban Indian centers frequently experience annual mean PM2.5 levels exceeding 50 to 100 microgram/m3 (10- to 20-fold above the WHO threshold), compounded by household air pollution (indoor biomass/solid fuel cooking) in rural women. Personal mitigation strategies recommended for high-risk cardiac patients during severe pollution spikes include avoiding outdoor exercise near traffic, using portable indoor HEPA air purifiers (shown in randomized crossover trials to lower SBP by 3 to 4 mmHg and reduce inflammatory markers), and wearing fitted N95 respirators outdoors.

KEY REFERENCES

- **Brook RD, Rajagopalan S, Pope CA III, et al.:** Particulate matter air pollution and cardiovascular disease: An update to the scientific statement from the American Heart Association, *Circulation*, 2010.
- **Kaufman JD, Adar SD, Barr RG, et al. (MESA Air Investigators):** Association between air pollution and coronary artery calcification within six metropolitan areas in the USA (the Multi-Ethnic Study of Atherosclerosis and Air Pollution): a longitudinal cohort study, *The Lancet*, 2016.
- **Rajagopalan S, Al-Kindi SG, Brook RD:** Air Pollution and Cardiovascular Disease: JACC State-of-the-Art Review, *Journal of the American College of Cardiology*, 2018.